Annual Drinking Water Quality Report for 2023 Town of LaGrange – Manchester Water Whites Bridge Lane, Poughkeepsie, NY Public Water Supply ID# 1330550

INTRODUCTION

To comply with State regulations, Manchester Water is annually issuing a report describing the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and awareness of the need to protect our drinking water sources. Last year, your tap water met all State drinking water health standards. We are proud to report that our system did not violate a maximum contaminant level or any other water quality standard. This report provides an overview of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to State standards.

If you have any questions about this report or concerning your drinking water, please contact H2O Innovations on (845) 486-1030. We want you to be informed about your drinking water. If you want to learn more, please attend any of our regularly scheduled board meetings. The meetings are held every second and fourth Wednesday of each month at 7:00 PM at the town hall.

WHERE DOES OUR WATER COME FROM?

In general, the sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activities. Contaminants that may be present in source water include microbial contaminants; inorganic contaminants; pesticides and herbicides; organic chemical contaminants; and radioactive contaminants. To ensure that tap water is safe to drink, the State and the EPA prescribe regulations which limit the number of certain contaminants in water provided by public water systems. The State Health Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Our water system serves 3,978 people through 1,307 service connections. Our water source consists of two groundwater wells located on Whites Bridge Lane. The water is chlorinated prior to distribution. Noxon Knolls, Deerfield, Southwest and Titusville Waters are all part of Manchester Water.

ARE THERE CONTAMINANTS IN OUR DRINKING WATER?

As the State regulations require, we routinely test your drinking water for numerous contaminants. These contaminants include total coliform, inorganic compounds, nitrate, nitrite, lead and copper, volatile organic compounds, total trihalomethanes, haloacetic acids, radiological and synthetic organic compounds. The table presented below depicts which compounds were detected in your drinking water. The State allows us to test for some contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of our data, though representative, are more than one year old.

It should be noted that all drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791) or the Dutchess County Health Department at (845) 486-3400.

		Tabl	e of Detecte	ed Contan	ninants		
Contaminant	Violation Yes/No	Date of Sample	Level Detected (Avg/Max) (Range)	Unit Measure- ment	MCLG	Regulatory L (MCL, TT or	
Inorganic Contam	inants						
Barium	No	6/1/23	.033	Mg/l	2.0	2.0	Discharge of drilling wastes; Discharge from metal refineries; erosion o natural deposits
Nickel	No	6/1/23	.0016	Ug/l	N/a	N/a	Naturally occurring
Copper	No	8/2021	.127 ² ND405	Mg/l	1.3	AL=1.3	Corrosion of galvanized pipes; Erosion of natural deposits
Lead	No	8/2021	.00997 ³ ND0148	Mg/l	0	AL-0.015	Corrosion of household plumbing systems; Erosio of natural deposits
Nitrate	No	12/22/23	0.32	Mg/l	10	10	Runoff from fertilizer use leaching from septic tank
Sodium	No	2/16/21	39.5	Mg/l	N/a	** (see health effects below)	Naturally occurring; road salt; water softeners; anim waste
Chloride	No	2/16/21	64	Mg/l	N/a	250	Naturally occurring
Calcium hardness	No	11/07	212 12.4 grains	Mg/l	N/a	N/a	Naturally occurring
Disinfection By-Pro	ducts		-				
Total Trihalomethanes (TTHMs – chloroform, bromodichloromethane, dibromochloromethane, and bromoform)	No	6/13/23	22 7.7	Ug/l	N/a	80	By-product of drinking water disinfection needed to kill harmful organisms TTHMs are formed when source water contains larg amounts of organic matter
Haloacetic Acids (mono- ,di-,and trichloroacetic acid, and mono- and dibromoacetic acid)	No	6/13/23	12 7.7	Ug/l	N/a	60	By-product of drinking water disinfection needed to kill harmful organisms

Synthetic Organic Contaminants Entry point

Perfluorooctanoic Acid (PFOA)	No	6/9/22	1.54	ng/L	10	10	Released into the environment from widespread use in commercial and industrial applications
Perfluorooctanesulfonate Acid (PFOS)	No	6/9/22	1.78	ng/L	10	10	Released into the environment from widespread use in commercial and industrial applications

Well 17

Perfluorooctanoic Acid (PFOA)	No	03/09/23 06/22/23 9/19/23 12/22/23	0.628 ND ND ND	ng/L	10	10	Released into the environment from widespread use in commercial and industrial applications
Perfluorooctanesulfonate Acid (PFOS)	No	03/09/23 06/22/23 09/19/23 12/22/23	0.849 0.924 2.1 ND	ng/L	10	10	Released into the environment from widespread use in commercial and industrial applications

Well 19

		03/09/23	3.31				Released into the
Perfluorooctanoic Acid		06/22/23	2.47				environment from
(PFOA)	No	09/19/23	3.7	ng/L	10	10	widespread use in
		12/22/23	13.0				commercial and
		1/19/24	3.61				industrial applications
		03/09/23	2.02				Released into the
Perfluorooctanesulfonate		06/22/23	1.92				environment from
Acid	No	09/19/23	4.0	ng/L	10	10	widespread use in
(PFOS		12/22/23	5.7				commercial and
		1/19/24	2.81				industrial applications

Radioactive Cont	aminants						
Uranium	No	6/1/23	0.617	pCi/l	0	MCL=30	Erosions of natural deposits
Gross alpha	No	6/1/23	0.274	pCi/l	0	15	Erosion of natural deposits
Combined radium	No	6/1/23	0.483	pCi/l	0	5	Erosion of natural deposits

Unregulated Contaminants Entry Point Substance /

Substance/		Amount
Unit of measure	Date	Detected
Perfluorobutanoic Acid	6/9/22	0.99
(PFBA)		
Perfluorobutanesulfonic	6/9/22	1.23
Acid (PFBS)		
Perfluorohexanesulfonic	6/9/22	0.713
Acid (PFHxS)		
Perfluorohexanoic Acid	5/19/21	.688
(PFHxA) ng/L	12/10/21	.912
	6/9/22	
Perfluorobutanesulfonic	12/10/21	1.49
Acid (PFBS) ng/L		

Well 17

Substance/		Amount
Unit of measure	Date	Detected
Perfluorohexanoic Acid	03/09/23	ND
(PFHxA) ng/L	06/22/23	ND
	09/23/23	ND
	12/22/23	ND
Perfluorobutanesulfonic	03/09/23	0.701
Acid (PFBS) ng/L	06/22/23	1.17
	09/23/23	ND
	12/22/23	ND
Perfluorobutanonic	03/09/23	0.849
Acid (PFBA) ng/L	06/22/23	1.10
	09/23/23	2.2
	12/22/23	ND
Perfluporopentanoic	03/09/23	0.660
Acid (PFPeA) ng/L	06/22/23	ND
, , ,	09/23/23	ND
	12/22/23	ND
2,3,3,3-tetrafluoro-	03/09/23	ND

[1,1,2,2,3,3,3-	06/22/23	ND
Heptafluoropropoxy]-	09/23/23	ND
propanoicAcid (HFPO-	12/22/23	ND
DA ng/L		
Perfluorohexanesulfonic	03/09/23	ND
Acid (PFHxS)	06/22/23	ND
	09/19/23	ND
	12/22/23	ND

Well 19

Substance/		Amount
Unit of measure	Date	Detected
Perfluorobutanoic Acid	03/09/23	3.08
(PFBA) ng/L	06/22/23	1.40
	09/19/23	2.2
	12/22/23	5.7
	01/19/24	1.54
Perfluorobutanesulfonic	03/29/23	2.12
Acid (PFBS) ng/L	06/22/23	1.47
	09/19/23	ND
	12/22/23	4.0
	01/19/24	1.67
Perfluorohexanesulfonic	03/29/23	0.886
Acid (PFHxS) ng/L	06/22/23	0.795
	09/19/23	ND
	12/22/23	2.2
	01/19/24	1.10

Notes:

Definitions:

^{2 –} The level presented represents the 90th percentile of the 20 sites tested. A percentile is a value on a scale of 100 that indicates the percent of a distribution that is equal to or below it. The 90th percentile is equal to or greater than 90% of the copper values detected at your water system. In this case, 20 samples were collected at your water system and the 90th percentile value was .168 mg/l. The action level for copper was not exceeded at any of the sites tested.

^{3 –} The level presented represents the 90th percentile of the 20 samples collected, which was .00532 mg/l. The action level for lead was not exceeded at any of the sites tested.

^{**} Water containing more than 20 mg/l of sodium should not be used for drinking by people on severely restricted sodium diets. Water containing more than 270 mg/l of sodium should not be used for drinking by people on moderately restricted sodium diets.

<u>Maximum Contaminant Level (MCL)</u>: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible.

<u>Maximum Contaminant Level Goal (MCLG)</u>: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

<u>Maximum Residual Disinfectant Level (MRDL)</u>: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

<u>Maximum Residual Disinfectant Level Goal (MRDLG)</u>: The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

<u>Action Level (AL)</u>: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

<u>Treatment Technique (TT)</u>: A required process intended to reduce the level of a contaminant in drinking water.

Non-Detects (ND): Laboratory analysis indicates that the constituent is not present.

<u>Milligrams per liter (mg/l)</u>: Corresponds to one part of liquid in one million parts of liquid (parts per million - ppm).

<u>Micrograms per liter (ug/l)</u>: Corresponds to one part of liquid in one billion parts of liquid (parts per billion - ppb).

<u>Million Fibers per Liter (MFL)</u>: A measure of the presence of asbestos fibers that are longer than 10 micrometers.

<u>Nanograms per liter (ng/l)</u>: Corresponds to one part of liquid in one trillion parts of liquid (parts per trillion - ppt).

WHAT DOES THIS INFORMATION MEAN?

As you can see by the table, our system had one violation for not sampling for Disinfection by products although past results have indicated levels to be below the MCL. They will be tested this year. We have learned through our 2020 testing that some contaminants have been detected; however, these contaminants were detected below the level allowed by the State.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women, infants, and young children. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. Manchester Water is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at http://www.epa.gov/safewater/lead.

IS OUR WATER SYSTEM MEETING OTHER RULES THAT GOVERN OPERATIONS?

<u>During 2022</u>, our system was not in compliance with applicable State drinking water operating, monitoring and reporting requirements for not sampling for Nitrate. It will be sampled this year.

DO I NEED TO TAKE SPECIAL PRECAUTIONS?

Although our drinking water met or exceeded state and federal regulations, some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium, Giardia and other microbial pathogens are available from the Safe Drinking Water Hotline (800-426-4791).

WHY SAVE WATER AND HOW TO AVOID WASTING IT?

Although our system has an adequate amount of water to meet present and future demands, there are several reasons why it is important to conserve water:

- Saving water saves energy and some of the costs associated with both of these necessities of life.
- Saving water reduces the cost of energy required to pump water and the need to construct costly new wells, pumping systems and water towers; and
- Saving water lessens the strain on the water system during a dry spell or drought, helping to avoid severe water use restrictions so that essential fire fighting needs are met.

You can play a role in conserving water by becoming conscious of the amount of water your household is using, and by looking for ways to use less whenever you can. It is not hard to conserve water. Conservation tips include:

- ♦ Automatic dishwashers use 15 gallons for every cycle, regardless of how many dishes are loaded. So, get a run for your money and load it to capacity.
- Turn off the tap when brushing your teeth.
- Check every faucet in your home for leaks. Just a slow drip can waste 15 to 20 gallons a day. Fix it and you can save almost 6,000 gallons per year.
- ♦ Check your toilets for leaks by putting a few drops of food coloring in the tank, watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100 gallons a day from one of these otherwise invisible toilet leaks. Fix it and you save more than 30,000 gallons a year.

CLOSING

Thank you for allowing us to continue to provide your family with quality drinking water this year. To maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. The costs of these improvements may be reflected in the rate structure. Rate adjustments may be necessary in order to address these improvements. We ask that all our customers help us protect our water sources, which are the heart of our community. Please call our office if you have questions.